Author index of volume 337

Abelli L, 545
Aceverdo C, 392
Aktories K, 354
Alavijeh MS, 111
Alessandri M, 545
Alzheimer C, 429
Amsterdam FTMvan, 213
Andersson K, 131
Angeli P, 241
Angersbach D, 341
Araki Y, 58
Armstrong JM, 471
Atkinson J, 471
Azzaro AJ, 151

Baba M, 423
Ban T, 203
Barnett DB, 238
Baumann PA, 284, 289, 609
Baumann P, 220
Becker R, 331
Bertolini A, 556
Bethke T, 576
Betz R, 588
Biediger AM, 583
Bischoff S, 609
Bitterman H, 679
Björnsson OG, 191
Blanchard JC, 13
Bleakman D, 366
Blier P, 246
Bönisch H, 626, 633
Boillat N, 471
Boireau A, 13
Boulton AA, 279
Box R, 261
Branch RA, 183
Brasili L, 241
Bridges RJ, 69, 74
Brownhill W, 111
Brown L, 85
Bruggencate Gten, 429
Brunkhorst D, 576
Busse R, 79

Caratsch CG, 9
Carmeliet E, 690
Champlain Jde, 29
Chaput Y, 246
Charldorp KJvan, 146
Conte B, 545
Cook N, 238
Cook NS, 98
Cristalli G, 687
Cuendet C, 220

Damsma G, 373
Daniel W, 105
Davidesko D, 146
Dhawan BN, 572
Diener M, 69, 74
Docherty JR, 1
Dodt C, 267
Doods HN, 146
Drobny H, 118
Dubédat P, 13
Dubocovich ML, 661
Durden DA, 279
Dusting GJ, 459
Dyck LE, 279

Eap CB, 220
Edwards SR, 512
Ehrenström F, 47
Ek B, 140
Elger B, 64
Elizalde A, 316
Encina JL, 435
Endoh M, 169
Eneroth P, 131
Engel G, 493
Erdmann E, 85
Eusebi F, 9

Feldtrauer JJ, 284, 289
Ferrari W, 556
FitzGerald GA, 183
Fluckiger JP, 471
Foucart S, 29
Fouda AK, 471
Fowler CJ, 379
Franco-Cereceda A, 649
Frankhuijzen AL, 255
Fredholm BB, 477
Frenken M, 484
Frimmer M, 231
Fujiwara M, 440, 531
Fukuda T, 58
Furuta T, 525
Fuxe K, 131

Gallant S, 539
Gengo P, 539
Geppetti P, 545
Gershanik O, 115
Gherezghiher T, 18, 519
Giannella M, 241
Giuliani S, 545
Glossmann H, 331
Göthert M, 408, 588
Goto F, 183
Grabner M, 331
Gradin K, 47
Grassi F, 9
Greene RW, 561
Grifantini M, 687
Grohmann M, 159, 397, 406
Gross G, 267
Großhans A, 504
Gualtieri F, 241
Guarini S, 556
Gulati A, 572

Haas HL, 561
Härfstrand A, 131
Hanft G, 267
Harro J, 675
Hartung F, 435
Hashimoto K, 308, 415
Hasselblatt A, 637
Hata H, 122
Hattori Y, 323
Hawthorn MH, 539
Henning M, 47
Henning R, 331
Hensler JG, 661
Hering B, 301
Herzer WA, 183
Herzig TC, 583
Hétier E, 13
Hiramoto T, 169
Hirano K, 296
Hisayama T, 296
Hochgesand U, 301
Hodge K, 465
Hofsteede HM, 373
Hogenboom F, 255
Hoyer D, 493, 595, 602
Hubbard JW, 583

Ikeda M, 591
Itoh Y, 58
Ito K, 591
Ito T, 24

Jackson DM, 512
Jackson EK, 183
Jagger C, 238
Jandhyala BS, 465
Juorio AV, 279

Kaiser J, 331
Kanno M, 323
Karpf A, 493
Kaumann AJ, 484
Keeton TK, 35, 583
Kigoshi S, 440
Kiivet RA, 675
Klotz KN, 64, 687
Knaus HG, 331
Knobloch SF, 69, 74
Kobayashi K, 191
Kobilansky C, 125
Körber M, 626
Koidl B, 447
Kojima M, 203
Koss MC, 18, 24, 519
Kubo T, 122
Kurahashi K, 531
Kuschinsky K, 385
Kushida H, 169

Landmann R, 261
Lanzinger I, 125
Lascelles PT, 111
Lefer AM, 679
Lefer DJ, 679
Lehmann J, 552
Lenzen S, 225
Leyen Hvander, 576
Liccione J, 151
Likungu J, 408
Lindenborn-Fotinos J, 64
Lindgren E, 477
Linz W, 331
Logan LG, 519
Lohse MJ, 64, 687
Lückhoff A, 79
Lundberg JM, 649

Macdonald PS, 459
Madsen GM, 273
Männer K, 225
Magaribuchi T, 531
Maggi CA, 545
Magnusson O, 379
Malta E, 459
Markwardt F, 454
Masana MI, 392
Matthaei H, 621
Medgett IC, 500
Meehan AG, 500
Meli A, 545
Meusburger E, 331
Meyer W, 576
Michael-Hepp J, 633
Misu Y, 122
Mitani K, 591
Mohringe B, 379
Molderings G, 408
Montigny Cde, 246
Moran JF, 539
Mülsch A, 79
Mulder AH, 255
Muramatsu I, 440

Nadeau R, 29
Näbauer M, 85
Naftalin RJ, 366
Nahorski SR, 238
Nakaya H, 323
Nakazato F, 296
Nawrath H, 435
Neale RF, 609
Neijt HC, 493
Netter KJ, 105
Nicholson CD, 341
Nigbur R, 576
Nilius B, 454
Nishibori M, 58
Nishio M, 440
Nissbrand H, 47
Nowak K, 385

Ögren SO, 379
Oishi R, 58, 423
Osterrieder W, 93
Otero Losada ME, 669

Paiva ACM, 656
Paiva TP, 656
Palacios JM, 595, 602
Panten U, 225
Patsalos PN, 111
Persson B, 47
Pfister SL, 35, 583
Philippu A, 53, 125, 621
Picchio MT, 241
Piton MC, 471
Pöld M, 675
Pohl U, 79
Porchet PA, 471
Portenier M, 261
Powis DA, 273
Pramono S, 621
Prast H, 53
Puurunen J, 164

Quast U, 98

Racké K, 301, 504
Rägo L, 675
Reid A, 359
Rinner I, 146
Rivaz JCde, 471
Rommelspacher H, 566
Ross SB, 512
Rubinstein M, 115
Rubio MC, 392
Rummel W, 69, 74
Rutledge A, 539

Sabouni M, 465
Saeki K, 58, 423
Sanchéz-Chapula J, 316
Satoh H, 169, 308, 415
Sautel M, 471
Sawynok J, 359
Saxer A, 53
Schlicker E, 588
Schoeffter P, 493, 595, 602
Schölkens B, 331
Schömig E, 626, 633
Scholtysik G, 98
Scholz H, 576
Schrör K, 177
Schulz A, 637
Schulz R, 644
Schumacher S, 9
Schwabe U, 64
Schwabe U, 687
Seidel H, 177
Shimamura K, 347
Shimuta SI, 656
Sills MA, 609
Singer EA, 118
Sirrenberg S, 504
Somma V, 545
Sonnay M, 471
Srimal RC, 572
Staehelin M, 261
Stefano FJE, 115
Steinberg P, 392
Story DF, 500
Striessnig J, 331
Sunano S, 347
Susilo R, 566
Täfler M, 231
Takayanagi I, 296
Taylor CA, 552
Teodori E, 241
Theodorsson E, 545
Török TL, 273
Tohse N, 323
Trendelenburg U, 159, 397
Triggle DJ, 539
Tripathi O, 435
Tritthart HA, 447
Trube G, 225
Tsai C, 552
Tytgat J, 690

Uderman HD, 183

Valenta B, 118
Vereecke J, 690
Vittori S, 687
Vries JBde, 373

Waeber C, 595, 602
Wagner B, 447
Waldmeier PC, 284, 289, 609
Wallis EM, 512
Wardeh G, 255
Weir SW, 98
Wei XY, 539
Welsch-Kunze S, 385
Wesp M, 261
Westerink BHC, 373
Wicki P, 284, 289
Wijkström A, 379
Williams M, 609
Williamson JR, 191
Willuweit B, 354
Wilson VG, 397
Winter I, 79
Workman RJ, 183

Zaagsma J, 213
Zerkowski HR, 408
Ziegler K, 231, 504
Ziegler K, 504
Zier, G, 118
Zünkler, BJ, 225
Zwieten PAvan, 146

Subject index of volume 337

A2 adenosine receptors, radioligand binding, adenylate cyclase; human platelets, 64
ACTH, sympathetic nervous system, adrenergic neuron blocking drugs, adenosine receptors, phorbol esters, transmitter release, cAMP, protein kinase C; hippocampus, rats, 477
adrenoceptor blocking drugs; hypovolemic shock, rats, 556
acetylcholine release, dopamine, GABA; retina, rabbit, 661
acetylcholine release, glycine, N-methyl-D-aspartate; striatal slices, rats, 552
action potentials, excitation-contraction coupling, calcium antagonists, Goe 5438; cardiomyocytes, chicken, guinea-pig, 447
action potentials, forskolin; atrial muscle, guinea-pig, 435
action potentials, sodium channel, goniopora toxin; ventricular cells, guinea-pig, 440
adenosine; hippocampus, rats, 561
adenylate cyclase, A2 adenosine receptors, radioligand binding; human platelets, 64
adenylate cyclase, cAMP, beta 2-adrenoceptors; human platelets, 238
adenylate cyclase, 2-chloro-N-cyclopentyladenosine; membranes, 687
adenylate cyclase, 5-HT-receptors; substantia nigra, calf, 602
adenylate cyclase, platelet-activating factor, thrombin, heparin; human platelet membranes, 354
adibendan, cardiotonic agents, inotropic action, phosphodiesterase inhibitor; papillary muscles, guinea-pig, 576
adrenergic neuron blocking drugs, adrenoceptor blocking drugs, ACTH, sympathetic nervous system; hypovolemic shock, rats, 556
adrenoceptor blocking drugs, ACTH, sympathetic nervous system, adrenergic neuron blocking drugs; hypovolemic shock, rats, 556
adrenoceptors, receptor regulation, antidepressants, lithium; cerebral cortex, rats, 267
airway epithelium, prostanoids, flurbiprofen; trachea, guinea-pig, 296
allosteric modulation, 5-hydroxytryptamine receptors, tryptamine; calf coronary artery, 484
alpha-1 acid glycoprotein, drug binding, psychotropic drugs; AAG, isoelectric focusing, 220
alpha 2-adrenoceptor agonists; portal vein, dog, 525
alpha 2-adrenoceptors, noradrenergic-serotonergic interaction, serotonin release; brain slices, rats, 255
alpha 2-adrenoceptors, Vasopressin, pituitary gland; gastric secretion, rats, 164
alpha 2-receptors, noradrenaline release; cerebral cortex slices, rats, 118
alpha-adrenoceptors, electrodermal responses, sympathetic-cholinergic system; sweat glands, rats, 24
alpha-adrenoceptors, phentolamine, sympathetic nervous system, insulin secretion; rats, 637
alpha-adrenoceptors, phorbol ester, protein kinase C, inotropic effect; papillary muscle, rabbit, 169
alpha-adrenoceptors, pupil, nictitating membrane, prazosin; cervical sympathetic nerve, 18
alpha-adrenoceptors, yohimbine, guanabenz; blood pressure, rats, 122
alpha adrenoceptors; nictitating membrane, pupil, cat, 519
alpha-blockers, spontaneous contraction, vanadate; portal vein, rats, 347
amplifying effect, calcium, serotonin, noradrenaline; ear artery, rabbit, 500
angiotensin, tachyphylaxis, sodium; ileum, guinea-pig, 656
antiarrhythmic drugs, ropitoin; cardiac tissues, guinea pig, dog, 316
antiarrhythmic drugs, sodium channel, cardiac electrophysiology, nicorandil; papillary muscle, guinea pig, 203
antidepressants, beta-adrenoceptors, receptor regulation; cerebral cortex, rats, 261
antidepressants, lithium, adrenoceptors, receptor regulation; cerebral cortex, rats, 267
antidepressants, serotonin autoreceptors; hippocampus, rats, 246
anti-diarrhoeal drugs, lidamidine, muscarinic receptors, guanine nucleotide; ileum, rabbit, 366
antiepileptic drugs, carbamazepine; brain, rats, 111
antinociception, baclofen, pathway, 5,7-dihydroxytryptamine, serotonin; rats, 359
anxiety, GABA receptors, benzodiazepine receptors, behaviour; elevated plus-maze, mice, 675
anxiolytics, isamoltane, 5-HT-receptor subtypes; brain, rats, 609
arachidonate metabolism, prostacyclin, thromboxane; human umbilical artery, 177
autacoid release, endothelium-derived relaxant factor, prostacycline; cultured bovine aortic endothelial cells, 79

Bay K 8644, calcium channel activator, inotropic effect, digitalis glycosides; human and guinea-pig myocardium, 85
baclofen, GABA release; brain slices, rats, 289
baclofen, pathway, 5,7-dihydroxytryptamine, serotonin, antinociception; rats, 359
behaviour, anxiety, GABA receptors, benzodiazepine receptors; elevated plus-maze, mice, 675
benzodiazepine receptors, behaviour, anxiety, GABA receptors; elevated plus-maze, mice, 675
beta 2-adrenoceptors, adenylate cyclase, cAMP; human platelets, 238
beta 2-adrenoceptors, catecholamines, feedback; adrenal medulla, 29
beta 2-adrenoceptors, noradrenergic transmission; human saphenous vein, 408
beta-adrenoceptor agonists, muscarinic cholinoceptor; colon strips, rats, 140
beta-adrenoceptors, extraneuronal accumulation, isoprenaline; heart, rats, 531
beta-adrenoceptors, hyper-hypothyroidism, calcium channel; cardiac, vascular tissue, rats, 539
beta-adrenoceptors, receptor regulation, antidepressants; cerebral cortex, rats, 261
beta-carbolines, decarboxylation; rats, 566
blood-brain barrier, opioid receptors, fluorescein; brain, mice, 423
blood flow, hemorrhagic shock, felodipine, vasodilators; dog, 465
blood pressure changes, catecholamines; nucleus tractus solitarii, rats, 125
bradykinin, ion transport, prostaglandins; colon, rats, 69
BRL 34915, K-channel agonist; cardiac myocytes, guinea-pig, 93
BRL 34915, K-channel opener, G-proteins, pertussis toxin; vascular and cardiac tissues, rats, 98

cAMP, beta 2-adrenoceptors, adenylate cyclase; human platelets, 238
cAMP, dopamine receptors, monoamine oxidases; corpus striatum, rats, 151
cAMP, protein kinase C, adenosine receptors, phorbol esters, transmitter release; hippocampus, rats, 477
cadmium, stimulus-secretion coupling, calcium, gadolinium; neurohypophysis, rats, 301
calcitonin gene-related peptides, tachikinin, capsaicin; heart, rats, guinea-pig, 649
calcium, gadolinium, cadmium, stimulus-secretion coupling; neurohypophysis, rats, 301
calcium, magnesium, dopamine; brain, microdialysis, rats, 373
calcium, protein kinase C, phorbol esters; sino-atrial node, rabbit, 308
calcium, serotonin, noradrenaline, amplifying effect; ear artery, rabbit, 500
calcium 2-antagonists, calcium channel, HOE 166; arteries, guinea-pig, rabbit, rats, 331

calcium 2-antagonists, hydralazine, muscle hypoxia, cromakalim; sceletal muscle, rats, 341
calcium antagonists, Goe 5438, action potentials, excitation-contraction coupling; cardiomyocytes, chicken, guinea-pig, 447
calcium antagonists, stereoisomers, verapamil; heart, rats, 213
calcium channel, beta-adrenoceptors, hyper-hypothyroidism; cardiac, vascular tissue, rats, 539
calcium channel, HOE 166, calcium 2-antagonists; arteries, guinea-pig, rabbit, rats, 331
calcium channel activator, inotropic effect, digitalis glycosides, Bay K 8644; human and guinea-pig myocardium, 85
calcium channel antagonists, ryanodine, H 1-receptors, inotropic effect; atria, guinea-pig, 323
calcium channels, phosphodiesterase, trapidil derivatives; heart cells, mice, 454
calcium channel types, verapamil, flunarizine; cardiomyocytes, guinea-pig, 690
calcium entry blocker, hypertension, ganglionic blocking agent, nicardipine; blood pressure, rats, 471
capsaicin, calcitonin gene-related peptides, tachikinin; heart, rats, guinea-pig, 649
capsaicin, neuropeptides, visceral pain, xylene; urinary bladder, rats, 545
carbamazepine, antiepileptic drugs; brain, rats, 111
carbamazepine, cytochrome P 450, imipramine; pharmacokinetic interaction, rats, 105
5-carboxamidotryptamine, 5-hydroxytryptamine receptor subtypes; pithed hypertensive rats, 1
cardiac electrophysiology, nicorandil, antiarrhythmic drugs, sodium channel; papillary muscle, guinea pig, 203
cardiac glycosides, catecholamines, sympathomimetics, tyramin; saphenous vein rings, dog, 273
cardiotonic agents, inotropic action, phosphodiesterase inhibitor, adibendan; papillary muscles, guinea-pig, 576
carrier-mediated efflux, isoprenaline, extraneuronal efflux; heart, rats, 406
carrier-mediated transport, phallotoxin; liver plasma membrane vesicles, rats, 231
catalepsy, neuroleptics; conditioned tolerance, rats, 385
catecholamines, blood pressure changes; nucleus tractus solitarii, rats, 125
catecholamines, COMT, O-methylation, isoprenaline; cerebral cortex, rats, 397
catecholamines, feedback, beta 2-adrenoceptors; adrenal medulla, 29
catecholamines, hypothalamus, pituitary hormones, sex differences, nicotine; cigarette smoke, diestrous rats, 131
catecholamines, monoamine oxidase, deaminating system; heart, rats, 159
catecholamines, renin, yohimbine; rats, 35
catecholamines, sympathomimetics, tyramin, cardiac glycosides; saphenous vein rings, dog, 273
cation channel, palytoxin; heart cells, rats, 591
cGMP, guanylate cyclase, LY 83583, vasodilators, vascular relaxation; aorta, rats, 459
2-chloro-N-cyclopentyladenosine, adenylate cyclase; membranes, 687
chronotropic effect, phenylephrine, methoxamine; sino-atrial node cells, rabbit, 415
COMT, O-methylation, isoprenaline, catecholamines; cerebral cortex, rats, 397
coronary flow, pyridine nucleotide, ionophore A23187; myocardial ischemia, guinea-pig, 191
corticosterone, GABAergic system; hypothalamus, rats, 669
cromakalim, calcium 2-antagonists, hydralazine, muscle hypoxia; sceletal muscle, rats, 341
cromakalim, K-channel activator, seizure models; hippocampus, guinea-pig, 429
cytochrome P 450, imipramine, carbamazepine; pharmacokinetic interaction, rats, 105

D-receptors, locomotor activity, sulpiride; catecholamine-depleted mice, 115
deaminating system, catecholamines, monoamine oxidase; heart, rats, 159
decarboxylation, beta-carbolines; rats, 566
defibrotide, prostacyclin, lysosomal membrane stabilization; haemorrhagic shock, rats, 679
dependence, tolerance, opioid receptors; myenric plexus, guinea-pig, 644
desipramine, N-ethylmaleimide, noradrenaline uptake; phaeochromocytoma cells, 633
desipramine, noradrenaline uptake; phaeochromocytoma cells, 626
diet regime, noradrenaline turnover, sympathetic activity; blood pressure, hypertensive rats, 47
digitalis glycosides, Bay K 8644, calcium channel activator, inotropic effect; human and guinea-pig myocardium, 85
5,7-dihydroxytryptamine, serotonin, antinociception, baclofen, pathway; rats, 359
dopamine, calcium, magnesium; brain, microdialysis, rats, 373
dopamine, dopaminergic structures, neurotensin; brain slices, rats, 13
dopamine, GABA, acetylcholine release; retina, rabbit, 661
dopamine autoreceptors, SCH 23390; pituitary gland, rats, 504
dopamine receptors, haloperidol, remoxipride, raclopride; brain, rats, 379
dopamine receptors, mastomys natalensis; stereotyped behaviour, mastomys rats, 572
dopamine receptors, monamine oxidases, cAMP; corpus striatum, rats, 151
dopamine receptor subtypes, supersensitivity, reserpine; locomotor activity, mice, 512
dopaminergic structures, neurotensin, dopamine; brain slices, rats, 13
drug binding, psychotropic drugs, alpha-1 acid glycoprotein; AAG, isoelectric focusing, 220

electrochemical detection, GABA; brain slices, rats, 284
electrodermal responses, sympathetic-cholinergic system, alpha-adrenoceptors; sweat glands, rats, 24
enantio-selectivity, tissue-selectivity, muscarinic agonists; guinea-pig ileum, rat urinary bladder, 241
endothelium-derived relaxant factor, prostacycline, autacoid release; cultured bovine aortic endothelial cells, 79
excitation-contraction coupling, calcium antagonists, Goe 5438, action potentials; cardiomyocytes, chicken, guinea-pig, 447
extraneuronal accumulation, isoprenaline, beta-adrenoceptors; heart, rats, 531
extraneuronal efflux, carrier-mediated efflux, isoprenaline; heart, rats, 406

feedback, beta 2-adrenoceptors, catecholamines; adrenal medulla, 29
felodipine, vasodilators, blood flow, hemorrhagic shock; dog, 465
flunarizine, calcium channel types, verapamil; cardiomyocytes, guinea-pig, 690
fluorescein, blood-brain barrier, opioid receptors; brain, mice, 423
flurbiprofen, airway epithelium, prostanoids; trachea, guinea-pig, 296
forskolin, action potentials; atrial muscle, guinea-pig, 435

GABA, acetylcholine release, dopamine; retina, rabbit, 661
GABA, electrochemical detection; brain slices, rats, 284
GABAergic system, corticosterone; hypothalamus, rats, 669
GABA receptors, benzodiazepine receptors, behaviour, anxiety; elevated plus-maze, mice, 675
GABA release, baclofen; brain slices, rats, 289
Goe 5438, action potentials, excitation-contraction coupling, calcium antagonists; cardiomyocytes, chicken, guinea-pig, 447
G-proteins, pertussis toxin, BRL 34915, K-channel opener; vascular and cardiac tissues, rats, 98

gadolinium, cadmium, stimulus-secretion coupling, calcium; neurohypophysis, rats, 301
ganglionic blocking agent, nicardipine, calcium entry blocker, hypertension; blood pressure, rats, 471
glycine, N-methyl-D-aspartate, acetylcholine release; striatal slices, rats, 552
goniopora toxin, action potentials, sodium channel; ventricular cells, guinea-pig, 440
guanabenz, alpha-adrenoceptors, yohimbine; blood pressure, rats, 122
guanine nucleotide, anti-diarrhoeal drugs, lidamidine, muscarinic receptors; ileum, rabbit, 366
guanylate cyclase, LY, 83583, vasodilators, vascular relaxation, cGMP; aorta, rats, 459

H 1-receptors, inotropic effect, calcium channel antagonists, ryanodine; atria, guinea-pig, 323
HOE 166, calcium 2-antagonists, calcium channel; arteries, guinea-pig, rabbit, rats, 331
haloperidol, remoxipride, raclopride, dopamine receptors; brain, rats, 379
hemorrhagic shock, felodipine, vasodilators, blood flow; dog, 465
heparin, adenylate cyclase, platelet-activating factor, thrombin; human platelet membranes, 354
histamine H3 receptors, serotonin release; brain, rats, 588
histamine release, ultradian rhythm; brain nuclei, cat, 53
histamine turnover, physical dependence; brain, morphine-dependent mice, 58
5-HT-binding; human, pig, calf, brain, 595
5-HT-receptors, adenylate cyclase; substantia nigra, calf, 602
5-HT-receptor subtypes, anxiolytics, isamoltane; brain, rats, 609
hydralazine, muscle hypoxia, cromakalim, calcium 2-antagonists; sceletal muscle, rats, 341
5-hydroxytryptamine receptors, radioligand binding; neuroblastoma-glioma cells, 493
5-hydroxytryptamine receptors, tryptamine, allosteric modulation; calf coronary artery, 484
5-hydroxytryptamine receptor subtypes, 5-carboxamidotryptamine; pithed hypertensive rats, 1
hyper-hypothyroidism, calcium channel, beta-adrenoceptors; cardiac, vascular tissue, rats, 539
hypertension, ganglionic blocking agent, nicardipine, calcium entry blocker; blood pressure, rats, 471
hypoglycemic drugs, K channel, patch-clamp technique; pancreatic B-cells, mice, 225
hypothalamus, pituitary hormones, sex differences, nicotine, catecholamines; cigarette smoke, diestrous rats, 131

iloprost, muscarinic receptors, prostaglandins, ion transport; colon, rats, 74
imipramine, carbamazepine, cytochrome P 450; pharmacokinetic interaction, rats, 105
inotropic action, phosphodiesterase inhibitor, adibendan, cardiotonic agents; papillary muscles, guinea-pig, 576
inotropic effect, alpha-adrenoceptors, phorbol ester, protein kinase C; papillary muscle, rabbit, 169
inotropic effect, calcium channel antagonists, ryanodine, H 1-receptors; atria, guinea-pig, 323
inotropic effect, digitalis glycosides, Bay K 8644, calcium channel activator; human and guinea-pig myocardium, 85
insulin secretion, alpha-adrenoceptors, phentolamine, sympathetic nervous system; rats, 637
ionophore A23187, coronary flow, pyridine nucleotide; myocardial ischemia, guinea-pig, 191
ion transport, iloprost, muscarinic receptors, prostaglandins; colon, rats, 74
ion transport, prostaglandins, bradykinin; colon, rats, 69
isamoltane, 5-HT-receptor subtypes, anxiolytics; brain, rats, 609
isoprenaline, beta-adrenoceptors, extraneuronal accumulation; heart, rats, 531
isoprenaline, catecholamines, COMT, O-methylation; cerebral cortex, rats, 397
isoprenaline, extraneuronal efflux, carrier-mediated efflux; heart, rats, 406

K channel, patch-clamp technique, hypoglycemic drugs; pancreatic B-cells, mice, 225
K-channel activator, seizure models, cromakalim; hippocampus, guinea-pig, 429
K-channel agonist, BRL 34915; cardiac myocytes, guinea-pig, 93
K-channel opener, G-proteins, pertussis toxin, BRL 34915; vascular and cardiac tissues, rats, 98

lidamidine, muscarinic receptors, guanine nucleotide, anti-diarrhoeal drugs; ileum, rabbit, 366
lithium, adrenoceptors, receptor regulation, antidepressants; cerebral cortex, rats, 267
locomotor activity, sulpiride, D-receptors; catecholamine-depleted mice, 115
LY 83583, vasodilators, vascular relaxation, cGMP, guanylate cyclase; aorta, rats, 459
lysosomal membrane stabilization, defibrotide, prostacyclin; haemorrhagic shock, rats, 679

MAO, phenelzine, monoamines; brain, rats, 279
magnesium, dopamine, calcium; brain, microdialysis, rats, 373
mastomys natalensis, dopamine receptors; stereotyped behaviour, mastomys rats, 572
methoxamine, chronotropic effect, phenylephrine; sino-atrial node cells, rabbit, 415
monamine oxidases, cAMP, dopamine receptors; corpus striatum, rats, 151
monoamine oxidase, deaminating system, catecholamines; heart, rats, 159
monoamines, MAO, phenelzine; brain, rats, 279
muscarine receptor antagonists, muscarine receptors; coronary smooth muscle, pig, 146
muscarine receptors, muscarine receptor antagonists; coronary smooth muscle, pig, 146
muscarinic agonists, enantio-selectivity, tissue-selectivity; guinea-pig ileum, rat urinary bladder, 241
muscarinic cholinoceptor, beta-adrenoceptor agonists; colon strips, rats, 140
muscarinic receptors, guanine nucleotide, anti-diarrhoeal drugs, lidamidine; ileum, rabbit, 366
muscarinic receptors, prostaglandins, ion transport, iloprost; colon, rats, 74
muscle hypoxia, cromakalim, calcium 2-antagonists, hydralazine; sceletal muscle, rats, 341

N-ethylmaleimide, noradrenaline uptake, desipramine; phaeochromocytoma cells, 633
N-methyl-D-aspartate, acetylcholine release, glycine; striatal slices, rats, 552
neuromuscular junction, phorbol ester, protein kinase C; end-plates, frogs, 9
neuroleptics, catalepsy; conditioned tolerance, rats, 385
neuropeptides, visceral pain, xylene, capsaicin; urinary bladder, rats, 545
neurotensin, dopamine, dopaminergic structures; brain slices, rats, 13
nicardipine, calcium entry blocker, hypertension, ganglionic blocking agent; blood pressure, rats, 471
nicorandil, antiarrhythmic drugs, sodium channel, cardiac electrophysiology; papillary muscle, guinea pig, 203
nicotine, catecholamines, hypothalamus, pituitary hormones, sex differences; cigarette smoke, diestrous rats, 131
nictitating membrane, prazosin, alpha-adrenoceptors, pupil; cervical sympathetic nerve, 18
noradrenaline, amplifying effect, calcium, serotonin; ear artery, rabbit, 500
noradrenaline, stereoselectivity, transport system, synaptic vesicles; brain, rats, 621
noradrenaline metabolism; perfused liver, rats, 392
noradrenaline release, alpha 2-receptors; cerebral cortex slices, rats, 118
noradrenaline turnover, sympathetic activity, diet regime; blood pressure, hypertensive rats, 47
noradrenaline uptake, desipramine, N-ethylmaleimide; phaeochromocytoma cells, 633
noradrenaline uptake, desipramine; phaeochromocytoma cells, 626

noradrenergic-serotonergic interaction, serotonin release, alpha 2-adrenoceptors; brain slices, rats, 255
noradrenergic transmission, beta 2-adrenoceptors; human saphenous vein, 408

O-methylation, isoprenaline, catecholamines, COMT; cerebral cortex, rats, 397
opioid receptors, dependence, tolerance; myenric plexus, guinea-pig, 644
opioid receptors, fluorescein, blood-brain barrier; brain, mice, 423

palytoxin, cation channel; heart cells, rats, 591
patch-clamp technique, hypoglycemic drugs, K channel; pancreatic B-cells, mice, 225
pathway, 5,7-dihydroxytryptamine, serotonin, antinociception, baclofen; rats, 359
pertussis toxin, BRL 34915, K-channel opener, G-proteins; vascular and cardiac tissues, rats, 98
phallotoxin, carrier-mediated transport; liver plasma membrane vesicles, rats, 231
phenelzine, monoamines, MAO; brain, rats, 279
phentolamine, sympathetic nervous system, insulin secretion, alpha-adrenoceptors; rats, 637
phenylephrine, methoxamine, chronotropic effect; sino-atrial node cells, rabbit, 415
phorbol ester, protein kinase C, inotropic effect, alpha-adrenoceptors; papillary muscle, rabbit, 169
phorbol ester, protein kinase C, neuromuscular junction; end-plates, frogs, 9
phorbol esters, calcium, protein kinase C; sino-atrial node, rabbit, 308
phorbol esters, transmitter release, cAMP, protein kinase C, adenosine receptors; hippocampus, rats, 477
phosphodiesterase, trapidil derivatives, calcium channels; heart cells, mice, 454
phosphodiesterase inhibitor, adibendan, cardiotonic agents, inotropic action; papillary muscles, guinea-pig, 576
physikal dependence, histamine turnover; brain, morphine-dependent mice, 58
pituitary gland, alpha 2-adrenoceptors, Vasopressin; gastric secretion, rats, 164
pituitary hormones, sex differences, nicotine, catecholamines, hypothalamus; cigarette smoke, diestrous rats, 131
platelet-activating factor, thrombin, heparin, adenylate cyclase; human platelet membranes, 354
prazosin, alpha-adrenoceptors, pupil, nictitating membrane; cervical sympathetic nerve, 18
prostacyclin, lysosomal membrane stabilization, defibrotide; haemorrhagic shock, rats, 679
prostacyclin, thromboxane, arachidonate metabolism; human umbilical artery, 177
prostacycline, autacoid release, endothelium-derived relaxant factor; cultured bovine aortic endothelial cells, 79
prostaglandins, bradykinin, ion transport; colon, rats, 69
prostaglandins, ion transport, iloprost, muscarinic receptors; colon, rats, 74
prostanoids, flurbiprofen, airway epithelium; trachea, guinea-pig, 296
protein kinase C, adenosine receptors, phorbol esters, transmitter release, cAMP; hippocampus, rats, 477
protein kinase C, inotropic effect, alpha-adrenoceptors, phorbol ester; papillary muscle, rabbit, 169
protein kinase C, neuromuscular junction, phorbol ester; end-plates, frogs, 9
protein kinase C, phorbol esters, calcium; sino-atrial node, rabbit, 308
psychotropic drugs, alpha-1 acid glycoprotein, drug binding; AAG, isoelectric focusing, 220
pupil, nictitating membrane, prazosin, alpha-adrenoceptors; cervical sympathetic nerve, 18
pyridine nucleotide, ionophore A23187, coronary flow; myocardial ischemia, guinea-pig, 191

raclopride, dopamine receptors, haloperidol, remoxipride; brain, rats, 379
radioligand binding, adenylate cyclase, A2 adenosine receptors; human platelets, 64
radioligand binding, 5-hydroxytryptamine receptors; neuroblastoma-glioma cells, 493
receptor regulation, antidepressants, beta-adrenoceptors; cerebral cortex, rats, 261
receptor regulation, antidepressants, lithium, adrenoceptors; cerebral cortex, rats, 267
remoxipride, raclopride, dopamine receptors, haloperidol; brain, rats, 379
renal ischemia, renin, thromboxane A2, thromboxane synthetase inhibitor; renal function, dog, 183
renin, thromboxane A2, thromboxane synthetase inhibitor, renal ischemia; renal function, dog, 183
renin, yohimbine, catecholamines; rats, 35
reserpine, dopamine receptor subtypes, supersensitivity; locomotor activity, mice, 512
ropitoin, antiarrhythmic drugs; cardiac tissues, guinea pig, dog, 316
ryanodine, H 1-receptors, inotropic effect, calcium channel antagonists; atria, guinea-pig, 323

SCH 23390, dopamine autoreceptors; pituitary gland, rats, 504
seizure models, cromakalim, K-channel activator; hippocampus, guinea-pig, 429
serotonin, antinociception, baclofen, pathway, 5,7-dihydroxytryptamine; rats, 359
serotonin, noradrenaline, amplifying effect, calcium; ear artery, rabbit, 500
serotonin autoreceptors, antidepressants; hippocampus, rats, 246
serotonin release, alpha 2-adrenoceptors, noradrenergic-serotonergic interaction; brain slices, rats, 255
serotonin release, histamine H3 receptors; brain, rats, 588
sex differences, nicotine, catecholamines, hypothalamus, pituitary hormones; cigarette smoke, diestrous rats, 131
sodium, angiotensin, tachyphylaxis; ileum, guinea-pig, 656
sodium channel, cardiac electrophysiology, nicorandil, antiarrhythmic drugs; papillary muscle, guinea pig, 203
sodium channel, goniopora toxin, action potentials; ventricular cells, guinea-pig, 440
spontaneous contraction, vanadate, alpha-blockers; portal vein, rats, 347
stereoisomers, verapamil, calcium antagonists; heart, rats, 213
stereoselectivity, transport system, synaptic vesicles, noradrenaline; brain, rats, 621
stimulus-secretion coupling, calcium, gadolinium, cadmium; neurohypophysis, rats, 301
sulpiride, D-receptors, locomotor activity; catecholamine-depleted mice, 115
supersensitivity, reserpine, dopamine receptor subtypes; locomotor activity, mice, 512
sympathetic activity, diet regime, noradrenaline turnover; blood pressure, hypertensive rats, 47
sympathetic-cholinergic system, alpha-adrenoceptors, electrodermal responses; sweat glands, rats, 24
sympathetic nervous system, adrenergic neuron blocking drugs, adrenoceptor blocking drugs, ACTH; hypovolemic shock, rats, 556
sympathetic nervous system, insulin secretion, alpha-adrenoceptors, phentolamine; rats, 637
sympathomimetics, tyramin, cardiac glycosides, catecholamines; saphenous vein rings, dog, 273
synaptic vesicles, noradrenaline, stereoselectivity, transport system; brain, rats, 621

tachikinin, capsaicin, calcitonin gene-related peptides; heart, rats, guinea-pig, 649
tachyphylaxis, sodium, angiotensin; ileum, guinea-pig, 656
thrombin, heparin, adenylate cyclase, platelet-activating factor; human platelet membranes, 354
thromboxane, arachidonate metabolism, prostacyclin; human umbilical artery, 177

thromboxane A2, thromboxane synthetase inhibitor, renal ischemia, renin; renal function, dog, 183
thromboxane synthetase inhibitor, renal ischemia, renin, thromboxane A2, renal function, dog, 183
tissue-selectivity, muscarinic agonists, enantio-selectivity; guinea-pig ileum, rat urinary bladder, 241
tolerance, opioid receptors, dependence; myenric plexus, guinea-pig, 644
transmitter release, cAMP, protein kinase C, adenosine receptors, phorbol esters; hippocampus, rats, 477
transport system, synaptic vesicles, noradrenaline, stereoselectivity; brain, rats, 621
trapidil derivatives, calcium channels, phosphodiesterase; heart cells, mice, 454
tryptamine, allosteric modulation, 5-hydroxytryptamine receptors; calf coronary artery, 484
tyramin, cardiac glycosides, catecholamines, sympathomimetics; saphenous vein rings, dog, 273

ultradian rhythm, histamine release; brain nuclei, cat, 53

Vasopressin, pituitary gland, alpha 2-adrenoceptors; gastric secretion, rats, 164
vanadate, alpha-blockers, spontaneous contraction; portal vein, rats, 347
vascular relaxation, cGMP, guanylate cyclase, LY 83583, vasodilators; aorta, rats, 459
vasodilators, blood flow, hemorrhagic shock, felodipine; dog, 465
vasodilators, vascular relaxation, cGMP, guanylate cyclase, LY 83583; aorta, rats, 459
verapamil, calcium antagonists, stereoisomers; heart, rats, 213
verapamil, flunarizine, calcium channel types; cardiomyocytes, guinea-pig, 690
visceral pain, xylene, capsaicin, neuropeptides; urinary bladder, rats, 545